





















## MICROPULSANTI DA C.S.

Tact Switch | *Micropoussoirs pour C.I.*

<b>B6810</b> 	<b>Bottonne rialzato</b> <b>Corrente</b> 50 mA <b>Tensione</b> 12 V <b>Resistenza di contatto</b> 50 mΩ <b>Pressione di lavoro</b> 160 gr <b>Cicli di durata</b> 100.000	<b>Protruding button</b> <b>Current</b> 50 mA <b>Voltage</b> 12 V <b>Contact resistance</b> 50 mΩ <b>Operating force</b> 160 gr <b>Cycles</b> 100.000	<b>Bouton rehaussé</b> <b>Courant</b> 50 mA <b>Tension</b> 12 V <b>Résistance de contact</b> 50 mΩ <b>Pression de travail</b> 160 gr <b>Cycles de durée</b> 100.000	<table border="1"> <thead> <tr> <th>CODICE code</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr><td>B 6810</td><td>4,3</td></tr> <tr><td>B 6811</td><td>5</td></tr> <tr><td>B 6812</td><td>7</td></tr> <tr><td>B 6814</td><td>8</td></tr> <tr><td>B 6815</td><td>9,5</td></tr> <tr><td>B 6818</td><td>12,5</td></tr> <tr><td>B 6819</td><td>17</td></tr> </tbody> </table> 	CODICE code	L (mm)	B 6810	4,3	B 6811	5	B 6812	7	B 6814	8	B 6815	9,5	B 6818	12,5	B 6819	17
	CODICE code	L (mm)																		
B 6810	4,3																			
B 6811	5																			
B 6812	7																			
B 6814	8																			
B 6815	9,5																			
B 6818	12,5																			
B 6819	17																			
	 100 pz 100 pcs 100 pces	 pronta in stock en stock																		

<b>B6820</b> 	<b>Bottonne rialzato</b> <b>Corrente</b> 50 mA <b>Tensione</b> 12 V <b>Resistenza di contatto</b> 50 mΩ <b>Pressione di lavoro</b> 160 gr <b>Cicli di durata</b> 100.000	<b>Protruding button</b> <b>Current</b> 50 mA <b>Voltage</b> 12 V <b>Contact resistance</b> 50 mΩ <b>Operating force</b> 160 gr <b>Cycles</b> 100.000	<b>Bouton rehaussé</b> <b>Courant</b> 50 mA <b>Tension</b> 12 V <b>Résistance de contact</b> 50 mΩ <b>Pression de travail</b> 160 gr <b>Cycles de durée</b> 100.000	
		 100 pz 100 pcs 100 pces	 pronta in stock en stock	

<b>B6830</b> 	<b>Bottonne rialzato</b> <b>Corrente</b> 50 mA <b>Tensione</b> 12 V <b>Resistenza di contatto</b> 100 mΩ <b>Pressione di lavoro</b> 160 gr <b>Cicli di durata</b> 100.000	<b>Protruding button</b> <b>Current</b> 50 mA <b>Voltage</b> 12 V <b>Contact resistance</b> 100 mΩ <b>Operating force</b> 160 gr <b>Cycles</b> 100.000	<b>Bouton rehaussé</b> <b>Courant</b> 50 mA <b>Tension</b> 12 V <b>Résistance de contact</b> 100 mΩ <b>Pression de travail</b> 160 gr <b>Cycles de durée</b> 100.000	<table border="1"> <thead> <tr> <th>CODICE code</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr><td>B 6830</td><td>4,3</td></tr> <tr><td>B 6831</td><td>7,5</td></tr> </tbody> </table> 	CODICE code	L (mm)	B 6830	4,3	B 6831	7,5
	CODICE code	L (mm)								
B 6830	4,3									
B 6831	7,5									
	 100 pz 100 pcs 100 pces	 pronta in stock en stock								

<b>B6840</b> 	<b>Bottonne rialzato</b> <b>Corrente</b> 50 mA <b>Tensione</b> 12 V <b>Resistenza di contatto</b> 100 mΩ <b>Pressione di lavoro</b> 160 gr <b>Cicli di durata</b> 100.000	<b>Protruding button</b> <b>Current</b> 50 mA <b>Voltage</b> 12 V <b>Contact resistance</b> 100 mΩ <b>Operating force</b> 160 gr <b>Cycles</b> 100.000	<b>Bouton rehaussé</b> <b>Courant</b> 50 mA <b>Tension</b> 12 V <b>Résistance de contact</b> 100 mΩ <b>Pression de travail</b> 160 gr <b>Cycles de durée</b> 100.000	
		 100 pz 100 pcs 100 pces	 pronta in stock en stock	

## MICROPULSANTI DA C.S.

Tact Switch | Micropoussoirs pour C.I.

<b>B6850</b>	<b>Bottonne rialzato</b>	<b>Protruding button</b>	<b>Bouton rehaussé</b>							
	<b>Corrente</b> 50 mA	<b>Current</b> 50 mA	<b>Courant</b> 50 mA	<table border="1" style="font-size: small;"> <thead> <tr> <th>CODICE code</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>B 6850</td> <td>4,3</td> </tr> <tr> <td>B 6851</td> <td>5</td> </tr> </tbody> </table>	CODICE code	L (mm)	B 6850	4,3	B 6851	5
	CODICE code	L (mm)								
	B 6850	4,3								
	B 6851	5								
	<b>Tensione</b> 12 V	<b>Voltage</b> 12 V	<b>Tension</b> 12 V							
<b>Resistenza di contatto</b> 50 mΩ	<b>Contact resistance</b> 50 mΩ	<b>Résistance de contact</b> 50 mΩ								
<b>Pressione di lavoro</b> 160 gr	<b>Operating force</b> 160 gr	<b>Pression de travail</b> 160 gr								
<b>Cicli di durata</b> 100.000	<b>Cycles</b> 100.000	<b>Cycles de durée</b> 100.000								
100 pz 100 pcs 100 pces										
pronta in stock en stock										

<b>B6865</b>	<b>Bottonne orizzontale</b>	<b>Horizontal button</b>	<b>Bouton horizontal</b>									
	<b>Corrente</b> 50 mA	<b>Current</b> 50 mA	<b>Courant</b> 50 mA	<table border="1" style="font-size: small;"> <thead> <tr> <th>CODICE code</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>B 6865</td> <td>5</td> </tr> <tr> <td>B 6866</td> <td>9,5</td> </tr> <tr> <td>B 6867</td> <td>17</td> </tr> </tbody> </table>	CODICE code	L (mm)	B 6865	5	B 6866	9,5	B 6867	17
	CODICE code	L (mm)										
	B 6865	5										
	B 6866	9,5										
	B 6867	17										
<b>Tensione</b> 12 V	<b>Voltage</b> 12 V	<b>Tension</b> 12 V										
<b>Resistenza di contatto</b> 100 mΩ	<b>Contact resistance</b> 100 mΩ	<b>Résistance de contact</b> 100 mΩ										
<b>Pressione di lavoro</b> 160 gr	<b>Operating force</b> 160 gr	<b>Pression de travail</b> 160 gr										
<b>Cicli di durata</b> 100.000	<b>Cycles</b> 100.000	<b>Cycles de durée</b> 100.000										
100 pz 100 pcs 100 pces												
pronta in stock en stock												

<b>B6870</b>	<b>Bottonne piatto</b>	<b>Flat button</b>	<b>Bouton plat</b>													
	<b>Corrente</b> 50 mA	<b>Current</b> 50 mA	<b>Courant</b> 50 mA	<table border="1" style="font-size: small;"> <thead> <tr> <th>CODICE code</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>B 6870</td> <td>4,3</td> </tr> <tr> <td>B 6871</td> <td>5</td> </tr> <tr> <td>B 6872</td> <td>7,5</td> </tr> <tr> <td>B 6873</td> <td>9,5</td> </tr> <tr> <td>B 6874</td> <td>12,5</td> </tr> </tbody> </table>	CODICE code	L (mm)	B 6870	4,3	B 6871	5	B 6872	7,5	B 6873	9,5	B 6874	12,5
	CODICE code	L (mm)														
	B 6870	4,3														
	B 6871	5														
	B 6872	7,5														
B 6873	9,5															
B 6874	12,5															
<b>Tensione</b> 12 V	<b>Voltage</b> 12 V	<b>Tension</b> 12 V														
<b>Resistenza di contatto</b> 100 mΩ	<b>Contact resistance</b> 100 mΩ	<b>Résistance de contact</b> 100 mΩ														
<b>Pressione di lavoro</b> 160 gr	<b>Operating force</b> 160 gr	<b>Pression de travail</b> 160 gr														
<b>Cicli di durata</b> 100.000	<b>Cycles</b> 100.000	<b>Cycles de durée</b> 100.000														
100 pz 100 pcs 100 pces																
pronta in stock en stock																

<b>B6891</b>	<b>Bottonne piatto montaggio superficiale</b>	<b>Flat button surface mounting</b>	<b>Bouton plat montage en surface</b>	
	<b>Corrente</b> 50 mA	<b>Current</b> 50 mA	<b>Courant</b> 50 mA	
	<b>Tensione</b> 12 V	<b>Voltage</b> 12 V	<b>Tension</b> 12 V	
	<b>Resistenza di contatto</b> 50 mΩ	<b>Contact resistance</b> 50 mΩ	<b>Résistance de contact</b> 50 mΩ	
	<b>Pressione di lavoro</b> 160 gr	<b>Operating force</b> 160 gr	<b>Pression de travail</b> 160 gr	
	<b>Cicli di durata</b> 100.000	<b>Cycles</b> 100.000	<b>Cycles de durée</b> 100.000	
100 pz 100 pcs 100 pces				
60 giorni 60 days 60 jours				